



**LibreOffice**  
The Document Foundation



# Interoperable Office Collaboration

**Svante Schubert**

[Svante.Schubert@gmail.com](mailto:Svante.Schubert@gmail.com)

TIRANA | 26 Sept. 2018



**LIBOCON**  
TIRANA 2018

# Question:

Will Libreoffice in 50 years  
be still our favorite editor?

## Answer:

Depends if **LibreOffice** will support the **state of the art features** in 50 years!

## Bold Claim:

**“Collaboration”  
the most critical feature  
in our connected world**

Everyone of us has at two  
computer at least! -- laptop and  
smartphone!

# Feature:

## Collaborative real-time editor (2 modes)

### 1) Real-Time Mode (e.g. Etherpad, Google Docs, etc.)

Users can edit the same document simultaneously.

### 2) Non-Real-Time Mode (similar revision control systems)

Users edit a copy of document and merge later.

[https://en.wikipedia.org/wiki/Collaborative\\_real-time\\_editor](https://en.wikipedia.org/wiki/Collaborative_real-time_editor)

## Feature:

# Collaborative real-time editor (2 modes)

In the end all “copies” are the same!

### 1) Real-Time Mode

Automatic fix of merge conflicts! (for convenience).

### 2) Non-Real-Time Mode

Merge conflicts have to be resolved by the user!

Merge conflict like I am editing a cell, YOU delete the table!

# Feature:

## Collaborative real-time editor (2 modes)

### 1) Real-Time Mode

Good for working with a group of trusted members.

### 2) Non-Real-Time Mode

Users like to be in control of all changes.

Legal departments of two companies collaborating.

**Feature:**

## **Collaborative real-time editor (2 modes)**

### **1) Real-Time Mode**

Comes first to mind!

### **2) Non-Real-Time Mode**

Often forgotten! But IMHO most money is here!



# How do real-time editors work?

- No documents are dispatched!

**Dispatching documents is stupid!!!**

As stupid as developers sending software repos!

- Sending changes / operations / differences / DIFFs!

Best not text/syntax based, but **semantic changes!**

# Today's Problem

The most important question in collaboration:  
“What have you changed in the doc?”

No way to answer in an **interoperable** way!  
**Only standards for file formats exist!**  
**No standard for file changes!**

**How the Future might look like...**

# Interoperable Collaboration

Exchanging **ODF Changes**



**ODF Application**

 ODF™ 4th paragraph new



**ODF Application**

Multile users using different ODF applications exchanging no longer docs, but high level user changes! (standardized by OASIS being interoperable)

 ODF™ 4th paragraph new



**Google Docs**

**ODF Application**

# Interoperable Collaboration

Exchanging **ODF Changes**




**ODF Application**



 ODF™ 2nd paragraph blue



**ODF Application**



 ODF™ 2nd paragraph blue




**Google Docs**

**ODF Application**

# Interoperable Collaboration

Exchanging ODF Changes



# Are ODF Changes able to become a Standard?

# ODF Changes are de-facto Standard...

As all office application I am aware of...

- a) Know the same user objects (table, paragraph..)
- b) Allow similar user changes (add, modify, delete ...)


Just specifying what is already on our minds...



# How about a Prototype on ODF Changes?

# ODT ⇔ Changes

sponsored by PrototypeFund



See <https://github.com/svanteschubert/odftoolkit/tree/odf-changes/odfdom>

**How about a Prototype  
an end user can use!?!**

# Interoperable Collaboration

Exchanging **ODF Changes**



**ODF Application**

Vim still needs a way to record text position change & create operations!



**ODF Application**

 ODF™ ADD „Hello “ @1/1

 ODF™ ADD „Hello “ @3/1

## ODF Feature Bridge

„Feature bridge“ adds/removes changes of unsupported ODF features and adopts positions (OT), see above for LO has same change at 3rd, while VI at 1st position.

# Full Semantic Tree

Exchanging **ODF Changes**

## Semantic tree:

The underlying XML tree is being mapped to larger logical pieces represented as Semantic Tree. Changes refer to those user objects.

a	b
c	d



World!

### NOTE:

- VIM does not „see“ the table nor the image!
- The „W“ character is for **LibreOffice** at position „3/1“
- The „W“ character is for **VIM** at position „1/1“

Vim is exciting!  
More thrills pls!!

# Interoperable Collaboration

Exchanging ODF Changes



**CKEditor 5**  
**ODF Application**



**ODF Application**

 ODF™ ADD „Hello“ @3/1

 ODF™ ADD „Hello“ @3/1


**ODF Feature Bridge**

„Feature bridge“ not only adds/deletes changes, but maps them to other „change dialect“.  
(more detailed view on next 2 slides)

# Proof of Concept

## Load ODF Text into CKEdit5

Exchanging **ODF Changes**



### ODF Sequencer

The ODT is mapped to an equivalent list of user changes, as if a user had written the document from top to bottom.

(production ready)


**CKEditor 5**  
web editor



# Proof of Concept

## Save ODF Text by CKEdit5

Exchanging **ODF Changes**



### ODF Merger

The new ODT user changes are merged into the document they are derived from.

(production ready)

CKEditor 5  
web editor

# Proof of Concept misses from CKEdit5:

- a) Loading “CKEdit5 changes” from JSON
- b) Saving new changes as “CKEdit5 changes” in JSON

Could someone help me with this, pls?!?  
Thx in advance & cheers, Svante

# Resources on CKEdit5 Changes

- [here](#) you will find all operations, with the inline documentation in the code
- [here](#) is the current version of the transformation (OT) code
- [here](#) you will find the engine debug plugin, which might be useful for debugging your code; all you need to do is to enable this plugin the same way you enable any other plugin and you should get some additional debug methods
- [here](#) you will find Operation Replayer; CKSource use it for debugging purposes to recreate the state of the model based on the recorded operation history (AFAIK not often recently used by CKSource)
- [using "apply operation" event](#) and method you should be able both record all operations applied to the document and apply your operations

# What we learned so far:

- 1) Dispatching semantic changes is most efficient..
  - **Changes are mandatory for merging**
  - No longer heuristics required to find changes
  - **Semantic provides best interoperability**
- 2) Changes perfect to **bridge different feature sets** of applications

## New benefits (1/2)

- Save using Changes:
  - **No Data loss** by “Filters” overwriting unknown features
  - **Faster**, as only new changes are merged
- **Transparency - No fear of incidental overwriting data**
  - e.g. famous author receives change-request from reader

**Key example:** The read-only ODT of the famous author is accessible by changes counting positions. If instead we would use explicit IDs for position it would require to have an ID on all possible referenceable element blowing up the document size with IDs (boilerplate).

**Convention over configuration!**

## New benefits (2/2)

- **Run Time API** across applications (based on **semantic tree**)
  - Browsers have Run Time API by W3C DOM
  - Semantic Tree is like a typed DOM ;-)

- Trustworthy **automated feature tests**

**Now:** “Load doc” & “save doc”

No proof, e.g. an array would support all ODF features

**Future:** “Load doc”, “change feature” & “save doc”


**Q: ODF Run Time API?  
What is it good for?**

**A:Take a look at the browsers!**

**A: Interoperable Macros, similar JavaScript in Browsers!**



# Out of the box testing:



The image shows a browser window with the address bar containing "acid3.acidtests.org". The main content area displays the text "Acid3" in a large, bold, black font. Below the text is a row of six squares: three gray squares of increasing size, followed by a bright green square, a blue square, and a purple square. Below the squares, the score "94/100" is displayed in a large, bold, black font. At the bottom of the page, there is a paragraph of text explaining the test requirements: "To pass the test, a browser must use its default settings, the animation has to be smooth, the score has to end on 100/100, and the final page has to look exactly, pixel for pixel, like [this reference rendering](#)."

# Documentation on feature support:

Home

News

Oct 08, 2017 - 2 new features added: Streams & :focus-ring CSS pseudo-class

Compare browsers

About

Can I use

@page

?



Settings

1 result found

#

## CSS Paged Media (@page) - WD

Global

61.43% + 11.61% = 73.03%

CSS at-rule (@page) to define page-specific rules when printing web pages, such as margin per page and page dimensions.

Current aligned Usage relative Date relative Show all

IE	Edge *	Firefox	Chrome	Safari	Opera	iOS Safari *	Opera Mini *	Android Browser *	Chrome for Android
			49			10.2			
		55	60	10.1		10.3		4.4	
11	15	56	61	11	47	11	all	56	61
	16	57	62	TP	48				
		58	63		49				
		59	64						

Notes

Known issues (1)

Resources (6)

Feedback

Currently no browsers appear to support the marks & bleed properties from the latest version of the specification.

Does not support the size property

# ODF app comparison based on features:

Illustration							
model	Krups ControlLine KH442	Tefal TT 5500	Severin AT 2509	Severin AT 2514	WMF Stelio Toaster	Severin AT 2287	Grundig TA 6330
comparison result	 Vergleich.org Review <b>1.2</b> very good 09/2017	Vergleich.org Rating <b>1.3</b> very good 09/2017	Vergleich.org Review <b>1.5</b> good 09/2017	Vergleich.org Review <b>1.6</b> good 09/2017	Vergleich.org Review <b>1.7</b> good 09/2017	Vergleich.org Rating <b>1.8</b> Good 09/2017	Vergleich.org Excellent <b>1.9</b> good 09/2017
Customer rating at Amazon	★★★★☆ 4 Reviews	★★★★☆ 364 reviews	★★★★☆ 2 business days	★★★★☆ 963 ratings	★★★★☆ 158 reviews	★★★★☆ 511 reviews	★★★★☆ 44 Reviews
Sheets per pass	2	2	4	2	2	2	2
browning levels	6	8th	6	6	7	7	6
Power (watts)	720 watts	1.200 watts	1,400 watts	850 watts	900 watts	700 watts	850 watts
Dimensions (LxWxH)	33.2 x 24.4 x 20.2 cm	40 x 23.4 x 22.8 cm	12.6 x 37.1 x 18.2 cm	27.1 x 15.5 x 18.3 cm	32.5 x 20 x 27.5 cm	32 x 18 x 18.5 cm	34 x 21.5 x 24.5 cm
mass	0.8 kg	3.1 kg	1.0 kg	1.5 kg	1.9 kg	1.2 kg	2.0 kg
Heat insulation	✓	✓	✓	✓	✓	✓	✓
rolls rust	✓	✓	✓	✓	✓	✓	✓
Bread disc centering Bread disc	✓	✓	✓	✓	✓	✓	✗
Toast lifting function	✓	✓	✓	✓	✓	✓	✓
defrost	✓	✓	✓	✓	✓	✗	✓
manual stuffing function	✓	✓	✓	✓	✓	✓	✓
	⊕ Testieger Foundation Warentest 04/2016	⊕ including egg cooker and egg pans	⊕ Housing is not hot ⊕ also suitable for bread	⊕ very quiet ⊕ integrated roll holder	⊕ tans evenly ⊕ illuminated key labels	⊕ integrated roll holder ⊕ good workmanship	⊕ stable crumb tray ⊕ good workmanship

## Further benefits (1/2)

- Not only identifying the feature of applications:  
Also possible to **identify** the features of customer documents

## Further benefits (2/2)

- **Git support** for ODF documents

Overwrite GIT using semantic diffs instead of line based diffs.  
Standardized ODF changes the result of a comparison of two document!  
**Merge will be so easy!!**

**Before you can understand:  
“Miracle of Merge” ...**

# **BASIC TECHNIQUES**

## **The 1 x 1 of Changes / Operations**

# One Document – Many ways to create it...

**„ABC“**

Final  
Document



# One Document – Many ways to create it...

User  
changes

ADD „A“ @1

„A“

„ABC“

Current  
Document

Final  
Document

# One Document – Many ways to create it...

User  
changes

Timeflow  
of changes

ADD „A“ @1  
ADD „B“ @2

„AB“

„ABC“

Current  
document

Final  
document

# One Document – Many ways to create it...

ADD „A“ @1

ADD „B“ @2

ADD „C“ @3

**„ABC“**

**„ABC“**

# One Document – Many ways to create it...

Different user  
changes

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „C“ @1

„ABC“  
„C“

# One Document – Many ways to create it...

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „C“ @1  
ADD „B“ @1

„ABC“  
„BC“

# One Document – Many ways to create it...

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „C“ @1  
ADD „B“ @1  
ADD „A“ @1

„ABC“

„ABC“

# One Document – Many ways to create it...

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3



ADD „C“ @1  
ADD „B“ @1  
ADD „A“ @1

**QUESTION:**

How transforming one into the other? 🤖

**„ABC“**

# One Document – Many ways to create it...

Move C change  
from top to  
bottom

```
ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3
```

```
ADD „C“ @1  
ADD „B“ @1  
ADD „A“ @1
```

**„ABC“**



# One Document – Many ways to create it...

Position of C changes  
as B was inserted now  
earlier, when the two  
changes are being  
switched!

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „B“ @1  
ADD „C“ @2  
ADD „A“ @1

„ABC“

# One Document – Many ways to create it...

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „B“ @1  
ADD „A“ @1  
ADD „C“ @3

**„ABC“**

# One Document – Many ways to create it...

Move B change  
from top to  
middle

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „B“ @1  
ADD „A“ @1  
ADD „C“ @3

**„ABC“**

# One Document – Many ways to create it...

Now both list  
of changes are  
identical!

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

We might call  
the blue list  
normalized!

**„ABC“**

# Change Deletion

Can we delete B by just removing the change?

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

„ABC“

# Change Deletion

NO! A gap is in the positions, which is not allowed!

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „A“ @1  
ADD „C“ @3

**Error!!**

**„ABC“**

# Change Deletion - Only remove top (last) change!

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

ADD „A“ @1  
ADD „B“ @2  
ADD „C“ @3

**„ABC“**

B not on top, not the last change being made, therefore B influences C

# Change Deletion - Only remove top (last) change!

ADD „A“ @1  
ADD „C“ @2  
ADD „B“ @2

ADD „A“ @1  
ADD „C“ @2  
ADD „B“ @2

B last change,  
influences to C  
were removed  
by OT (see URL)

**„ABC“**

OT:

<http://www.codecommit.com/blog/java/understanding-and-applying-operational-transformation>



# Change Deletion - Only remove top (last) change!

```
ADD „A“ @1  
ADD „C“ @2
```



```
ADD „A“ @1  
ADD „C“ @2  
ADD „B“ @2  
DEL „B“ @2
```

Removes B and  
keep changes  
normalized.

**„AC“**

Add inverse  
operation and  
keep all changes.

# The Miracle of Merge

# Merging

**USER A**

ADD „Hello “ @1

„User A“ works on a branch (similar GIT branch concept) offline (e.g. sailing)

**USER B**

ADD „World “ @1

„User B“ works over week-end offline on own „git-like branch“. (e.g. woods)

Server state of ODT both user branched from

**SERVER** „“

# Merging

**USER A**

ADD „Hello “ @1

**USER B**

ADD „World “ @1

**Push!**

„User A“, first in  
office can PUSH  
to server

**SERVER** “ ”

# Merging

**USER A**

ADD „Hello “ @1

**USER B**

ADD „World “ @1

Server state  
being adapted  
with branch of  
„User A“

ADD „Hello “ @1

**„Hello “**

**SERVER**

# Merging

**USER A**

ADD „Hello “ @1

**USER B**

ADD „World “ @1

Push!

**Error!!**

„User B“ is not able to PUSH! Similar to software development with GIT „User B“ has to PULL first!

ADD „Hello “ @1

**„Hello “**

**SERVER**

# Merging

**USER A**

ADD „Hello “ @1

**USER B**

ADD „World “ @1

User B pulls the change(s) being added earlier by „User A“ to its own branch.

ADD „Hello “ @1

**Pull!**

**„Hello “**

**SERVER**

# Merging

## USER A

ADD „Hello “ @1

## USER B

ADD „World “ @1

ADD „Hello “ @1



ADD „Hello “ @1

„Hello “

SERVER

Changes of „User A“ had happened BEFORE the changes of „User B“ and need to be moved to start of the change list, applying OT while moving.



# Merging

## USER A

ADD „Hello “ @1

## USER B

ADD „Hello “ @1  
ADD „World “ @7

Position changes by OT  
from 1 to 7 due to the  
length of „Hello “

ADD „Hello “ @1

„Hello “

SERVER

# Merging

**USER A**

ADD „Hello “ @1

**USER B**

ADD „Hello “ @1

ADD „World “ @7

**Push!**

ADD „World “ @7

ADD „Hello “ @1

**„Hello “**

**SERVER**

Now the new changes of „User B“ can be pushed as server is again on same base

# Merging

## USER A

ADD „Hello “ @1

## USER B

ADD „Hello “ @1  
ADD „World “ @7

### NOTE:

If „User B“ would have pushed first ODT would be „World Hello „

ADD „Hello “ @1  
ADD „World “ @7

**„Hello World “**

**SERVER**

**Q: How do we identify documents  
(in GIT)?**

**A: Hash their Semantic Tree  
not the Syntax!**

Get rid of „ODF XML syntax“  
changing noise, breaking  
hashes identifying ODT  
documents in GIT!!

**Semantic tree:**

The underlying XML tree is being  
mapped to larger logical pieces  
represented as Semantic Tree.  
Changes refer to those user objects.

**Q: How start the Collab feature in LibreOffice?**

**Q: What is the Minimum Viable Product (MVP)?**

# LO Collaboration (MVP)

Modern ping pong



ODF Application

 ODF™ document (signed)



ODF Application

## NOTE:

Not the ZIP of the ODT is being signed, but each XML file within the ZIP

Like ancient wax seals, if you would change the content the seals break..

But what if someone would like to suggest a change on a signed document?

# LO Collaboration (MVP)

Modern ping pong



ODF Application



ODF Application

- Suggested changes could be saved within the ODT ZIP as a new file, pointing to the content!
- By this the XML sign of the content.xml file would not be broken!
- New file could be signed as well with the signature of the responding user!

# LO Collaboration (MVP)

Modern ping pong



ODF Application

+ ODF™ document (signed)

+ ODF™ changes (signed)

+ ODF™ changes (signed)



ODF Application

- Initial author can still answer by also saving new changes!
- Although all changes will be kept, earlier suggested changes can be removed by adding their inverse change!




# LO Collaboration (MVP)

Modern ping pong



ODF Application



ODF Application

- Authentication of every change of any editor in document history is being guaranteed!

**When it is so cool,  
why don't we have it already?**

**ODF Changes based on  
ODF XML, which is complex..**

# ODF XML Grammar

Hard to oversee



```
<define name="table-table">
  <element name="table:table">
    <ref name="table-table-attlist"/>
    <optional>
      <ref name="table-title"/>
    </optional>
    <optional>
      <ref name="table-desc"/>
    </optional>
    <optional>
      <ref name="table-table-source"/>
    </optional>
    <optional>
      <ref name="office-dde-source"/>
    </optional>
    <optional>
      <ref name="table-scenario"/>
    </optional>
    <optional>
      <ref name="office-forms"/>
    </optional>
    <optional>
      <ref name="table-shapes"/>
    </optional>
    <ref name="table-columns-and-groups"/>
    <ref name="table-rows-and-groups"/>
    <optional>
      <ref name="table-named-expressions"/>
    </optional>
  </element>
</define>
<define name="table-columns-and-groups">
  <oneOrMore>
```

## ODF 1.2 XML:

- 598 XML elements
- 1300 XML attributes
- > 18 tsd. lines

Very hard to read by  
humans and to search  
within!

# ODF XML Grammatik

Hard to oversee



```
<define name="table-table">
  <element name="table:table">
    <ref name="table-table-attlist"/>
    ...
  <optional>
    <ref name="text-soft-page-break"/>
  </optional>
  <ref name="table-table-row"/>
</define>
```

## ODF 1.2 XML:



- 598 XML elements
- 1300 XML attributes
- > 18 tsd. lines

Let's look only at the  
<table:table> root  
element and its children  
in the ODF XML grammar.

# ODF Grammar - Graph


Table root with children

Table root with children part of ODF grammar loaded into Graph DB and visualized with Gephi




# ODF Grammar - Graph


Table root with children



Zooming in, red are the attributes of <table:table>



Apache TinkerPop



# ODF Grammar - Graph

Cumbersome

text:soft-page-break

Ref: text-soft-page-break

EPSILON

CHOICE

table:table-row


Ref: table:table-row

1

2

SEQUENCE

Graph still complex because based on the Multi-Schema Validators dumped run-time model. Let's refactor it by Gremlin GraphDB scripting.





# ODF Grammar - Graph


SIMPLIFIED



Same semantic as slide before but refactored for better human understanding


text:soft-page-break

text:table-row



NOTE:

Graph DB allows queries as „can a <text:p> paragraph element be nested, find out far easier and reproducible instead of looking up 18k of lines of grammar.



## **GOAL & VISION (1/2)**

- a) Define additional ODF Change info!**
- b) Ease access to ODF XML grammar via Graph DB**

## GOAL & VISION (2/2)

c) From above: Generate source code ->  
ODF RunTimeModel

d) Let become collab editors  
as frequent as text editors!

Huge number of ODF XML should be tagged by source code generation.

More flexible to create RunTimeModl with for different languages! Or optimization such bitarrays for spreadsheet cells properties.


# CURRENTLY I AM:

- a) Generating Source Code for eInvoice EU standard
- b) Love to elaborate the collab idea with YOU!

No one can tell if LibreOffice is still en vogue  
in 50 years!

But the **collaboration feature** is **critical!**

Q&A anytime!



All text and image content in this document is licensed under the Creative Commons Attribution-Share Alike 4.0 License (unless otherwise specified)